

# Material Safety Data Sheet According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

# 1 Identification of the substance/preparation and of the company/undertaking

#### **Product details**

**Trade name Deiterol SLF** 

Safety data sheet no.: 49PD10328/4

**Application of the substance / the preparation** Protective impregnation

#### Manufacturer/Supplier:

maxit France s.a.s

4 rue de Mulhouse
Boîte Postale 27
F-68180 Horbourg-Wihr

Tel.: ++33(0)3 89 20 10 80 FAX: ++33(0)3 89 20 10 92

#### Information in case of emergency:

maxit France s.a.s

Tel.: ++33(0)3 89 20 10 80

#### 2 Composition/information on ingredients

#### Chemical characterization

**Description:** Alkysiliconresins with Alkoxygroups

	, , ,			
Dangerous components:				
34396-03-7	Trimethoxy(2,4,4-trimethylpentyl)silan R 10-52/53	> 50%		
67923-07-3	Polydimethylsiloxan,(((3-((2-aminoethyl)amino)propyl)silylidyne)tris(oxy) tris-,methoxy-terminiert Xi; R 38-41	10 - 25%		
78-10-4	tetraethyl orthosilicate  Xn, Xi; R 10-20-36/37	10 - 20%		
64-19-7	acetic acid, of a concentration of more than C; R 10-35	5 - 10%		
67-56-1	methanol  F; R 11-23/24/25-39/23/24/25	0,1 - 1%		

**Additional information** For the wording of the listed risk phrases refer to section 16.

#### 3 Hazards identification

#### Hazard description:



Xi Irritant

# Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 10 Flammable.

R 41 Risk of serious damage to eyes.

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

(Contd. on page 2)



According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

#### **Trade name Deiterol SLF**

(Contd. of page 1)

#### Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

#### 4 First aid measures

#### **General information**

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and preent this data sheet.

After inhalation Supply fresh air and to be sure call for a doctor.

#### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

#### After swallowing

Rinse out mouth and then drink plenty of water.

Induce vomiting and call for medical help.

# **5 Fire fighting measures**

#### Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents Water with full jet

Special hazards caused by the substance, its products of

# combustion or resulting gases:

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:

**Protective equipment:** Wear self-contained respiratory protective device.

Additional information Cool endangered receptacles with water spray.

#### 6 Accidental release measures

#### Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

#### Measures for environmental protection:

Do not allow product to reach sewage system or any water course.

#### Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

#### 7 Handling and storage

#### Handling

#### Information for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

#### Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

(Contd. on page 3)



According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

#### **Trade name Deiterol SLF**

(Contd. of page 2)

Protect against electrostatic charges.

#### Storage

Requirements to be met by storerooms and receptacles: Store in a cool location.

**Information about storage in one common storage facility:** Do not store together with acids.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

Recommended storage temperature: 5-30°C.

# 8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

CAS No. Designation of material % Type Value Unit				
64-19-7 acetic acid, of a concentration of more than				
IOELV () 25 mg/m³, 10 ppm				
67-56-1 methanol				
IOELV () 260 mg/m³, 200 ppm				
Skin				

#### Additional information:

Te applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

#### Personal protective equipment:

# General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory

filter device. In case of intensive or longer exposure use self-

contained respiratory protective device.

Short term filter device:

Filter AX.

#### **Protection of hands:**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### **Material of gloves**

Nitrile rubber, NBR

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed goggles

(Contd. on page 4)



According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

**Trade name Deiterol SLF** 

Body protection: Protective work clothing.

(Contd. of page 3)

General Information				
Fluid Yellowish Weak, characteristic				
Undetermined. Undetermined.				
25°C (77°F) (DIN ISO 2592)				
310°C (590°F) (DIN 51794)				
Product is not selfigniting.				
Product is not explosive. However, formation of explosive air/vapour mixtures are possible.				
3,5 Vol % (DIN 51649) 44,0 Vol % (DIN 51649)				
Not determined.				
0,95-0,97 g/cm³ (DIN 51757)				
Not applicable.				
Fully miscible				
): 5,0-6,0 (DIN 19261)				
1-10 mPas (DIN 53019) Not determined.				
Not determined 0,8 %				

# 10 Stability and reactivity

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications. Dangerous reactions: Reacts with water and acids

**Dangerous decomposition products:** 

Reagiert langsam mit Wasser. Die Reaktion erfolgt unter Bildung von Methanol und Ethanol.



# Material Safety Data Sheet According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

**Trade name Deiterol SLF** 

(Contd. of page 4)

# 11 Toxicological information

#### Acute toxicity:

LD/LC50 values relevant for classification:

Components		Туре	Value	Species	
Oral	LD50	>2000 mg/kg (rat)			
Dermal	LD50	>2000 mg/kg (rat)			
Inhalative	LC50/4 h	> 0,72 mg/l (rat)			

64-19-7 acetic acid, of a concentration of more than						
Oral	LD50	3310 mg/kg (rat)				
67-56-1 methanol						
Oral	LD50	13000 mg/kg (rat)				

#### Primary irritant effect:

**on the skin:** Skin irritation possible due to drying effect.

on the eye: Strong irritant with the danger of severe eye injury.

**Sensitization:** No sensitizing effects known. **Additional toxicological information:** 

The product shows the following dangers according to the calculation method of the General EC

Classification Guidelines for Preparations as issued in the latest version:

Irritant

# 12 Ecological information:

# Information about elimination (persistence and degradability):

Other information: The product is easily biodegradable.

# **Ecotoxical effects:**

Remark: The product contains substances which causes severe clouding in water

#### **General notes:**

Do not allow product to reach ground water, water course or

sewage system.

# 13 Disposal considerations

#### **Product:**

### Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

#### European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

#### **Uncleaned packaging:**

#### Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

FI





According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

**Trade name Deiterol SLF** 

(Contd. of page 5)

### **14 Transport information**

#### Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)



ADR/RID-GGVS/E Class: 3 (F1) Flammable liquids.

Danger code (Kemler): 30 UN-Number: 1993 Packaging group: III Hazard label 3

Description of goods: 1993 FLAMMABLE LIQUID, N.O.S., special provision 640E

(Trimethoxy(2,4,4-trimethylpentyl)silan, TETRAETHYL SILICATE)

### Maritime transport IMDG/GGVSea:



IMDG/GGVSea Class: 3
UN Number: 1993
Label 3
Packaging group: III
EMS Number: F-E,S-E
Marine pollutant: No

Proper shipping name: FLAMMABLE LIQUID, N.O.S. (Trimethoxy(2,4,4-trimethylpentyl)silan,

TETRAETHYL SILICATE)

#### Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class: 3
UN/ID Number: 1993
Label 3
Packaging group: III

Proper shipping name: FLAMMABLE LIQUID, N.O.S. (Trimethoxy(2,4,4-trimethylpentyl)silan,

TETRAETHYL SILICATE)

# 15 Regulatory information

#### Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU

Directives / Ordinance on Hazardous Materials.

Observe the general safety regulations when handling chemicals.

### Code letter and hazard designation of product:



Xi Irritant

#### Risk phrases:

10 Flammable.



# Material Safety Data Sheet According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

#### **Trade name Deiterol SLF**

(Contd. of page 6)

41 Risk of serious damage to eyes.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Safety phrases:

- 7/9 Keep container tightly closed and in a well-ventilated place.
- 23 Do not breathe fumes/aerosol.
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 37/39 Wear suitable gloves and eye/face protection.
- 51 Use only in well-ventilated areas.
- 61 Avoid release to the environment. Refer to special instructions/safety data sheets.

# 16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant R-phrases**

Flammable.
Highly flammable.
Harmful by inhalation.

23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

35 Causes severe burns.

36/37 Irritating to eyes and respiratory system.

38 Irritating to skin.

39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with

skin and if swallowed.

41 Risk of serious damage to eyes.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

**Department issuing MSDS:** Product safety department **Contact:** Mr Gilles Weber, Tel.: ++33(0)3 89 20 10 93 \* **Data compared to the previous version altered.** 

EU