

# Material Safety Data Sheet According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

# 1 Identification of the substance/preparation and of the company/undertaking

#### **Product details**

**Trade name Plastikol FDN** 

Safety data sheet no.: 49PD10429/14

Application of the substance / the preparation Spacings sealent

### Manufacturer/Supplier:

maxit France s.a.s 4 rue de Mulhouse Boîte Postale 27 F-68180 Horbourg-Wihr

Tel.: ++33(0)3 89 20 10 80 FAX: ++33(0)3 89 20 10 92

### Information in case of emergency:

maxit France s.a.s

Tel.: ++33(0)3 89 20 10 80

### 2 Composition/information on ingredients

#### Chemical characterization

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:									
2768-02-7	trimethoxyvinylsilane	Xn; R 20	2 - 5%						
67-56-1	methanol	<b>EXECUTE:</b> F; R 11-23/24/25-39/23/24/25	1 - 2,9%						

Additional information For the wording of the listed risk phrases refer to section 16.

## 3 Hazards identification

Hazard description: Not applicable.

Information concerning particular hazards for human and

environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

## Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

## 4 First aid measures

General information Immediately remove any clothing soiled by the product.

**After inhalation** Supply fresh air; consult doctor in case of complaints.

### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

(Contd. on page 2)



## Material Safety Data Sheet

According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

**Trade name Plastikol FDN** 

Information for doctor None

(Contd. of page 1)

## **5 Fire fighting measures**

**Suitable extinguishing agents** CO2, powder or water spray. Fight larger fires with water spray. **For safety reasons unsuitable extinguishing agents** Water with full jet

Protective equipment: Wear self-contained respiratory protective device.

## 6 Accidental release measures

Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

Measures for environmental protection:

Do not allow product to reach sewage system or any water course.

Measures for cleaning/collecting:

Ensure adequate ventilation.

Pick up mechanically.

Dispose of the material collected according to regulations.

Additional information: See Section 13 for disposal information.

## 7 Handling and storage

### Handling

## Information for safe handling:

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection: No special measures required.

### Storage

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Recommended storage temperature: 5-30°C.

## 8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

CAS No. Designation of material % Type Value Unit

### 67-56-1 methanol

IOELV () 260 mg/m<sup>3</sup>, 200 ppm

Skin

### Additional information:

Te applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

### Personal protective equipment:

## General protective and hygienic measures:

The usual precautionary measures are to be adhered to when

handling chemicals.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

(Contd. on page 3)



## Material Safety Data Sheet

According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

### **Trade name Plastikol FDN**

(Contd. of page 2)

Do not eat or drink while working.

Keep away from foodstuffs, beverages and feed.

Respiratory protection: Not required.

Protection of hands: Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### **Material of gloves**

Nitrile rubber, NBR

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Safety glasses.

Body protection: Protective work clothing.

General Information	
Form:	Pasty
Colour: Odour:	According to product specification Alcohol-like
Change in condition	
Melting point/Melting range: Boiling point/Boiling range:	
Flash point:	> 150°C (> 302°F) (DIN ISO 2592)
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Vapour pressure:	Not determined.
Density at 20°C (68°F):	1,03 g/cm³ (DIN 51757)
Bulk density:	Not applicable.
Solubility in / Miscibility with	Not as in the constitution of the constitution
Water:	Not miscible or difficult to mix
pH-value:	Not applicable.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent separation test:	Not applicable.
Additional information:	None.



## Material Safety Data Sheet

According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

**Trade name Plastikol FDN** 

(Contd. of page 3)

## 10 Stability and reactivity

Thermal decomposition / Conditions to be avoided: No decomposition if used according to specifications. Dangerous reactions: No dangerous reactions known

Dangerous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

Acute toxicity:

LD/LC50 values relevant for classification:

Components Type Value Species
67-56-1 methanol

Oral LD50 13000 mg/kg (rat)

Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect.

**Sensitization:** No sensitizing effects known. **Additional toxicological information:** 

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us

information provided to us.

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines

for Preparations as issued in the latest version.

## 12 Ecological information:

Information about elimination (persistence and degradability):

Other information: The product is difficultly biodegradable.

**General notes:** 

Do not allow product to reach ground water, water course or sewage system.

## 13 Disposal considerations

#### **Product:**

### Recommendation

After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.

## European waste catalogue

08 04 09	waste	adhesives	and	sealants	containing	organic	solvents	or	other	dangerous
	substa	nces								

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

### Uncleaned packaging:

### Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.



# Material Safety Data Sheet According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

**Trade name Plastikol FDN** 

(Contd. of page 4)

## **14 Transport information**

Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)

ADR/RID-GGVS/E Class: -

Maritime transport IMDG/GGVSea:

IMDG/GGVSea Class:

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class:

Transport/Additional information: Not dangerous according to the above specifications.

## 15 Regulatory information

### Labelling according to EU guidelines:

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for

Preparations of the EU" as issued in the latest valid version.

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EC Directives and the Ordinance on Hazardous Materials (GefStoffV).

## Special labelling of certain preparations:

Contains trimethoxyvinylsilane. May produce an allergic reaction.

Safety data sheet available for professional user on request.

## 16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### **Relevant R-phrases**

Highly flammable.Harmful by inhalation.

23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with

skin and if swallowed.

**Department issuing MSDS:** Product safety department **Contact:** Mr Gilles Weber, Tel.: ++33(0)3 89 20 10 93 \* **Data compared to the previous version altered.**