

According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

1 Identification of the substance/preparation and of the company/undertaking

Product details

Trade name Plastikol FDX

Safety data sheet no.: 49PD10432/15

Application of the substance / the preparation Spacings sealent

Manufacturer/Supplier:

maxit France s.a.s
4 rue de Mulhouse
Boîte Postale 27
F-68180 Horbourg-Wihr

Tel.: ++33(0)3 89 20 10 80 FAX: ++33(0)3 89 20 10 92

Information in case of emergency:

maxit France s.a.s

Tel.: ++33(0)3 89 20 10 80

2 Composition/information on ingredients

Chemical characterization

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:				
34036-80-1	Phenyltris-(methylethylketoximo)silane	Xi; R 43-52/53	5 - 10%	
128446-60-6	aminofunktionelles Methylsilsesquioxan	Xi; R 10-36/38	2 - 5%	
37859-57-7	Methyltris(methylisobutylketoximo)silan	Xn; R 48/22-53	2 - 5%	

Additional information

For the wording of the listed risk phrases refer to section 16.

The product is proved and shows no sensitized properties, even though a relevant substance is included. Therewith the product is not marked with R-43.

3 Hazards identification

Hazard description: Not applicable.

Information concerning particular hazards for human and

environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

4 First aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Treat affected skin with cotton wool or cellulose. Then wash and

rinse thoroughly with water and a mild cleaning agent.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 2)



Material Safety Data Sheet

According to 91/155 EEC

Printing date 04.04.2007 Reviewed on 21.03.2007

Trade name Plastikol FDX

Information for doctor None

(Contd. of page 1)

5 Fire fighting measures

Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray. **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

Person-related safety precautions:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Measures for environmental protection:

Do not allow product to reach sewage system or any water course.

Measures for cleaning/collecting:

Pick up mechanically.

Dispose of the material collected according to regulations.

Additional information: See Section 13 for disposal information.

7 Handling and storage

Handling

Information for safe handling: Ensure good ventilation/exhaustion at the workplace. Information about fire - and explosion protection: No special measures required.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Recommended storage temperature: 5-30°C.

8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

Additional information:

Te applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

The following substances are arrising during the processing.

96-29-7	2-butanone oxime	Xn, Xi; R 21-40-41-43
105-44-2	Methylisobutylketoxim	Xn, Xi; R 20-36/37

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when

handling chemicals.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 3)



Printing date 04.04.2007 Reviewed on 21.03.2007

Trade name Plastikol FDX

(Contd. of page 2)

Do not eat or drink while working.

Respiratory protection: Not necessary if room is well-ventilated.

Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Safety glasses.

Body protection: Protective work clothing.

9 Physical and chemical properties: **General Information** Form: Pasty According to product specification Colour: Odour: Characteristic Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. Flash point: > 150°C (> 302°F) (DIN ISO 2592) Product is not selfigniting. **Self-igniting:** Product does not present an explosion hazard. Danger of explosion: Not determined. Vapour pressure: Density at 20°C (68°F): 1,02 g/cm³ (DIN 51757) **Bulk density:** Not applicable. Solubility in / Miscibility with Not miscible or difficult to mix Water: pH-value: Not applicable. Viscosity: dynamic: Not determined. kinematic: Not determined. Solvent separation test: Not determined Solvent content: Organic solvents: 0,0 % Additional information: None.



Printing date 04.04.2007 Reviewed on 21.03.2007

Trade name Plastikol FDX

(Contd. of page 3)

10 Stability and reactivity

Thermal decomposition / Conditions to be avoided: No decomposition if used according to specifications. Dangerous reactions: No dangerous reactions known

Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Acute toxicity:

Primary irritant effect: on the skin: No irritant effect. on the eye: Irritating effect.

Sensitization: No sensitizing effects known. **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines

for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the

information provided to us.

12 Ecological information:

Information about elimination (persistence and degradability):

Other information: The product is difficultly biodegradable.

General notes:

Do not allow product to reach ground water, water course or sewage system.

13 Disposal considerations

Product:

Recommendation

After prior treatment product has to be landfilled adhering to the regulations pertaining to the disposal of particularly hazardous waste.

European waste catalogue

08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

14 Transport information

Land transport ADR/RID and GGVS/GGVE (cross-border/domestic) ADR/RID-GGVS/E Class: -

(Contd. on page 5)



Printing date 04.04.2007 Reviewed on 21.03.2007

Trade name Plastikol FDX

(Contd. of page 4)

Maritime transport IMDG/GGVSea:

IMDG/GGVSea Class:

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class:

Transport/Additional information: Not dangerous according to the above specifications.

15 Regulatory information

Labelling according to EU guidelines:

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EU" as issued in the latest valid version.

Observe the general safety regulations when handling chemicals.

Special labelling of certain preparations:

Contains Phenyltris-(methylethylketoximo)silane, 2-butanone oxime. May produce an allergic reaction.

Safety data sheet available for professional user on request.

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant R-phrases

10 Flammable.

36/38 Irritating to eyes and skin.

43 May cause sensitisation by skin contact.

48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

53 May cause long-term adverse effects in the aquatic environment.

Department issuing MSDS: Product safety department **Contact:** Mr Gilles Weber, Tel.: ++33(0)3 89 20 10 93 * **Data compared to the previous version altered.**

ΕU